



## Rocky Mountain Remedies

4725 22nd AVE. N  
Great Falls, MT 59405  
bigskyweb@centric.net  
(406) 788-7913  
Lic. #C-100394-001

Sample: 2201FID0217.1326

Strain: Bruce Banner  
Batch #: 1; Lot #:

METRC Batch: 1A4080100003D58000000298; METRC Sample: 1A4080100003D58000000306  
Analysis Initiated: 01/26/2022; Report Created: 01/27/2022  
Sampling SOP: SOP-0050

## RMR-BB-01-07-22

Plant, Flower - Cured, Indoor  
Harvest/Production Date: 01/19/2022




	<b>18.52%</b> Total Potential Psychoactive THC	<b>0.06%</b> Total CBD	<b>Pass</b> Foreign Matter
	<b>20.97%</b> Total Raw THC	<b>22.43%</b> Total Cannabinoids	<b>Pass</b> 9.77% Moisture

## Cannabinoids

Pass

Analytical Calibration Batch: Cannabinoids AF 01042022

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.05	19.96	199.6
Δ9-THC	0.05	1.01	10.1
Δ8-THC	0.05	ND	ND
THCV	0.05	ND	ND
CBDa	0.05	0.07	0.7
CBD	0.05	ND	ND
CBN	0.05	ND	ND
CBGa	0.05	1.29	12.9
CBG	0.05	0.09	0.9
CBC	0.05	<LOQ	<LOQ
<b>Total</b>		<b>22.43</b>	<b>224.3</b>



Total Potential Psychoactive THC = THCa \* 0.877 + d9-THC

Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

SOP-0037; Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight.

SOP-0035; Foreign matter inspection includes but is not limited to hair, insects, stems, and feces. Filth is inspected using a M16-209 stereoscope. Stem measurements are performed using fisher calipers.

SOP-0036; Moisture analysis is performed using a Shimadzu moisture analyzer MOC63u UL.



Fidelity Diagnostics Laboratory  
216 Trade St.  
Missoula, MT 59808  
(406) 926-2211  
http://www.fidimt.com  
License # L-100170-003



*Andre Umansky*

Andre Umansky  
Laboratory Director

Accredited to ISO/IEC 17025:2017  
Accreditation #: 102722

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com





## Rocky Mountain Remedies

4725 22nd AVE. N  
Great Falls, MT 59405  
bigskyweb@centric.net  
(406) 788-7913  
Lic. #C-100394-001

Sample: 2201FID0217.1326

Strain: Bruce Banner  
Batch #: 1; Lot #:

METRC Batch: 1A4080100003D58000000298; METRC Sample: 1A4080100003D58000000306  
Analysis Initiated: 01/26/2022; Report Created: 01/27/2022  
Sampling SOP: SOP-0050

## RMR-BB-01-07-22

Plant, Flower - Cured, Indoor  
Harvest/Production Date: 01/19/2022




## Terpenes

Analytical Calibration Batch:

Analyte	LOQ	Mass	Mass
---------	-----	------	------

## Primary Aromas



LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0044; Terpenoid profile screen is performed using a Thermo Scientific TRACE 1300 Gas Chromatography instrument equipped with a Flame Ionization Detector (GC-FID).



Fidelity Diagnostics Laboratory  
216 Trade St.  
Missoula, MT 59808  
(406) 926-2211  
<http://www.fdimt.com>  
License # L-100170-003



Andre Umansky  
Laboratory Director

Accredited to ISO/IEC 17025:2017  
Accreditation #: 102722

Confident Cannabis  
All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)





# Certificate of Analysis

## Rocky Mountain Remedies

4725 22nd AVE. N  
Great Falls, MT 59405  
bigskyweb@centric.net  
(406) 788-7913  
Lic. #C-100394-001

Sample: 2201FID0217.1326

Strain: Bruce Banner  
Batch #: 1; Lot #:

METRC Batch: 1A4080100003D58000000298; METRC Sample: 1A4080100003D58000000306  
Analysis Initiated: 01/26/2022; Report Created: 01/27/2022  
Sampling SOP: SOP-0050

## RMR-BB-01-07-22

Plant, Flower - Cured, Indoor  
Harvest/Production Date: 01/19/2022



## Residual Solvents

Not Tested

Analytical Calibration Batch:

Analyte	LOQ	State Limits	Mass	Status	Analyte	LOQ	State Limits	Mass	Status
---------	-----	--------------	------	--------	---------	-----	--------------	------	--------

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.  
SOP-0056; A wide spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

## Mycotoxins

Pass

Analytical Calibration Batch: 01/11/2022

Analyte	LOQ	State Limit	Mass	Status
	PPB	PPB	PPB	
Ochratoxin A	12	20	ND	Pass
Total Aflatoxins	20	20	ND	Pass

## Microbials

Pass

Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Aerobic Bacteria	100000	NR	NT
Aspergillus	1	NR	NT
Aspergillus flavus	1	NR	NT
Aspergillus fumigatus	1	NR	NT
Aspergillus niger	1	NR	NT
Aspergillus terreus	1	NR	NT
Bile-Tolerant Gram-Negative Bacteria	10000	NR	NT
E. Coli	1	ND	Pass
Mold	10000	ND	Pass
Salmonella		ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0057: E.Coli, and Salmonella analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0061: Mold enumeration using Hardy Diagnostics media. SOP-0063: Aspergillus species specific analysis on AriaDX qPCR using Medicinal Genomics validated methods.



Fidelity Diagnostics Laboratory  
216 Trade St.  
Missoula, MT 59808  
(406) 926-2211  
http://www.fdimt.com  
License # L-100170-003



Andre Umansky  
Laboratory Director

Accredited to ISO/IEC 17025:2017  
Accreditation #: 102722

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com





## Rocky Mountain Remedies

4725 22nd AVE. N  
Great Falls, MT 59405  
bigskyweb@centric.net  
(406) 788-7913  
Lic. #C-100394-001

Sample: 2201FID0217.1326

Strain: Bruce Banner  
Batch #: 1; Lot #:

METRC Batch: 1A4080100003D58000000298; METRC Sample: 1A4080100003D58000000306  
Analysis Initiated: 01/26/2022; Report Created: 01/27/2022  
Sampling SOP: SOP-0050

## RMR-BB-01-07-22

Plant, Flower - Cured, Indoor  
Harvest/Production Date: 01/19/2022



## Pesticides

Analytical Calibration Batch: 01/11/2022

Pass

Analyte	LOQ	State Limit	Expanded Limit	Mass	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.12	0.5	0.5	ND	Pass
Acequinocyl	0.12	2	2	ND	Pass
Bifenazate	0.12	0.2	0.2	ND	Pass
Bifenthrin	0.12	0.2	0.2	ND	Pass
Chloromequat	0.12	1	1	ND	Pass
Cyfluthrin	0.12	1	1	ND	Pass
Daminozide	0.12	1	1	ND	Pass
Etoxazole	0.12	0.2	0.2	ND	Pass
Fenoxycarb	0.12	0.2	0.2	ND	Pass
Imazalil	0.12	0.2	0.2	ND	Pass
Imidacloprid	0.12	0.4	0.4	ND	Pass
Myclobutanil	0.12	0.2	0.2	ND	Pass
Paclobutrazol	0.12	0.4	0.4	ND	Pass
Pyrethrins	0.12	1	1	ND	Pass
Spinosad	0.12	0.2	0.2	ND	Pass
Spirotetramat	0.12	0.2	0.2	ND	Pass
Trifloxystrobin	0.12	0.2	0.2	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Pesticide screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.



Fidelity Diagnostics Laboratory  
216 Trade St.  
Missoula, MT 59808  
(406) 926-2211  
http://www.fdimt.com  
License # L-100170-003



Andre Umansky  
Laboratory Director

Accredited to ISO/IEC 17025:2017  
Accreditation #: 102722

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 001 []